

SAFE USE INSTRUCTION SHEET

Creation Date 25-Jun-2007 Revision Date 25-Jul-2016 Version 1

0. GENERAL INFORMATION

This Safe Use Instruction Sheet is the document provided by Owens Corning to communicate safe handling and use instructions for manufactured articles neither regulated by OSHA Hazard Communication Standard, 29 CFR 1910.1200 nor by the Canada Hazardous Products Regulation SOR/2015-17 (WHMIS 2015)

1. IDENTIFICATION

Product Name BLOWN-IN INSULATION

Synonyms AttiCat® Expanding Blown-In Insulation System, PROPINK® FIBERGLAS® Blown

Insulation, PROPINK® Wall Insulation System, PROPINK® Complete Blown-In Wall System, INSPECT-R® Density Gauge, FIBERGLAS SUPER-PINK-R® Blowing Wool

Product Code OCIS00048

Recommended Use Insulation

Supplier Owens Corning Canada LP Manufacturer Address Owens Corning Insulating Systems, LLC

3450 McNicoll Ave One Owens Corning Parkway

Scarborough, Ontario Toledo, Ohio 43659

M1V 1Z5

Address

Company Phone Number 1-800-GET-PINK or 1-800-438-7465

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

Emergency Telephone 1-419-248-5330 (after 5 pm ET and weekends)

E-mail address safetydatasheet@owenscorning.com

Company Website http://owenscorning.com/

2. HAZARDS IDENTIFICATION

OSHA Regulatory Status This product is considered an article. 29 CFR 1910.1200(c) definition of an article is as

follows: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section),

and does not pose a physical hazard or health risk to employees

WHMIS Regulatory Status This product is considered an article per the Canadian Hazardous Products Regulation

SOR/2015-17

Manufactured articles which meet the definition of the Canadian Hazardous Products Act (any article that is formed to a specific shape or design during manufacture, the intended use of which when in that form is dependent in whole or in part on its shape or design, and that, when being installed, if the intended use of the article requires it to be installed, and under normal conditions of use, will not release or otherwise cause an individual to be exposed to a hazardous product) are not regulated by the Canadian Hazardous Products

Regulation SOR/2015-17

Other Hazards May cause temporary skin and mucous membranes itching due to the mechanical abrasion

effect of fibers

3. COMPOSITION/INFORMATION ON INGREDIENTS

While fiberglass products may cause temporary skin and mucous membranes itching due to the mechanical abrasion effects of fibers, it does not meet the new classification definition of "irritant" contained in the OSHA HCS 29 CFR 1910.1000, Appendix A. OSHA now specifically defines an irritant as "a reversible inflammatory effect on living tissue by chemical action..." Owens Corning fiberglass is an inert material and does not interact chemically with the skin or mucous membranes

Fiberglass, Wool 100%

4. FIRST AID MEASURES

Description of First Aid Measures

Eye contact • DO NOT rub or scratch eyes

• Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

• If eye irritation persists: Get medical advice/attention

• Wash off immediately with soap and plenty of cold water

• DO NOT use warm water because this will open up the pores of the skin, which will cause

further penetration of the fibers

• Use a wash cloth to help remove fibers

• DO NOT rub or scratch affected area

Remove contaminated clothing and shoes

• If fibers are seen penetrating from the skin, the fibers can be removed by applying and removing adhesive tape so that the fibers adhere to the tape and are pulled out of the skin

· If skin irritation persists, call a physician

· Never use compressed air to remove fibers from skin

Inhalation • Remove to fresh air

· If symptoms persist, call a physician

Ingestion • Accidental ingestion of this material is unlikely

• Rinse mouth with water and drink water to remove fibers from the throat

• If this does occur watch person for several days to make sure intestinal blockage does not

occur

• If symptoms persist, call a physician

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Protective equipment and precautions for firefighters

• As in any fire, wear self-contained breathing apparatus (positive-pressure), MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

· Avoid contact with eyes and skin

Methods for cleaning up

· Use personal protective equipment as required

Avoid creating dust

· Clean contaminated surface thoroughly

• Use an industrial vacuum cleaner with a high efficiency filter to clean up dust and fiber contamination

· Avoid dry sweeping

Pick up and transfer to properly labeled containers

Revision Date 25-Jul-2016

7. HANDLING AND STORAGE

Precautions for safe handling • Prevent and/or minimize dust formation

· Do not breathe dust

• Wear appropriate personal protective equipment in case of direct contact with the product

Storage Conditions • Keep product in packaging until use to minimize potential dust generation

Product should be kept dry and undercover

Incompatible materials • None known based on information supplied

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

٠

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH REL	Ontario TWA
ı	Fiberglass wool	TWA: 1 fiber/cm3 respirable	-	-	TWA: 1 fibre/cm3
	65997-17-3	fibers: length >5 µm, aspect			TWA: 5 mg/m ³
		ratio >=3:1, as determined			
		by the membrane filter			
		method at 400-450X			
		magnification [4-mm			
		objective], using			
		phase-contrast illumination			
		TWA: 5 mg/m³ inhalable			
		fraction			

Engineering Controls

Provide local exhaust and/or general ventilation to maintain exposure below regulatory and

recommended limits

Dust collection system must be used in transferring operations, cutting or other dust

generating processes, such as using power tools Vacuum or wet clean-up methods should be used

Individual protection measures, such as personal protective equipment

Eye/face protection• Wear safety glasses with side shields (or goggles)

Skin and body protection • Wear protective gloves

Wear long-sleeved shirt and long pants

Respiratory protection • When workers are facing airborne particulates/dust concentrations above the exposure

limits, they must use an appropriate certified respirator

• A properly fitted NIOSH approved disposable N 95 type dust respirator or better is

recommended

General Hygiene Considerations • Wash hands before breaks and immediately after handling products

· Remove and wash contaminated clothing before re-use

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Solid Appearance Fibrous Odor Organic Color Pink

Water solubility Insoluble in water

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions • None under normal processing

Revision Date 25-Jul-2016

Hazardous Decomposition Products • None known based on information supplied

11. TOXICOLOGICAL INFORMATION

Product InformationDusts and fibers may cause temporary skin and mucous membranes itching due to

mechanical abrasion effect of fibers. Mechanical abrasion is not considered as a health hazard in the meaning of Hazard Communication Standard (HCS 2012) OSHA Regulation. Inhalation may cause coughing, nose and throat irritation and sneezing. High exposures

may cause difficult breathing, congestion and chest tightness

IARC (International Agency for Research on Cancer)

In October 2001, the International Agency for Research on Cancer (IARC) classified fiber glass wool as Group 3,"not classifiable as to its carcinogenicity to humans". The 2001 decision was based on human studies and animal research that have not shown an association between inhalation exposure to dust from fiber glass wool and the development

of respiratory disease

NTP (National Toxicology Program) In June 2011, The National Toxicology Program (NTP) removed biosoluble glass wool

fibers from its list of possible carcinogens used for home and building insulation

12. ECOLOGICAL INFORMATION

This product is not expected to be hazardous for the environment

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national and local laws and regulations

14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

15. REGULATORY INFORMATION

International Inventories This product is classified as an article. Articles are exempted from registration or listing

under chemicals inventories like TSCA (USA), DSL/NDSL (CAN), REACH (EU), ENCS

(JP), IECSC (CN), KECL (KR), PICCS (PH), AICS (AUS)

California Proposition 65 This product does not contain any Proposition 65 chemicals

16. OTHER INFORMATION

Creation Date 25-Jun-2007 **Revision Date** 25-Jul-2016

Revision Note This Safety Data Sheet replaces the Material Safety Data Sheet numbered 10003384.

Changes include new format to meet US OSHA Revised Hazard Communication Standard

2012 (HCS) 29 CFR 1910.1200 requirements

Disclaimer

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use

End of Safe Use Instruction Sheet